The Regularized Holographic Shortcut: Fractal Dimensions, Exact Pseudoinverses, and Algorithmic Compression in an Overdetermined Universe

Douglas C. Youvan

doug@youvan.com

www.youvan.ai

May 17, 2026

Modern physics, information theory, and biological modeling increasingly suggest that the observable universe operates within an intrinsically overdetermined framework. To process infinite degrees of freedom without succumbing to computational collapse or terminal entropy, nature natively executes mechanisms of algorithmic compression. This paper proposes that the Holographic Principle serves as the universe's ultimate algorithmic shortcut, mathematically reducing intractable bulk complexity into optimized boundary logic. However, a strict N-1 dimensional reduction perfectly describes black holes, representing maximum entropy and the cessation of dynamic computation. We argue that dynamic, evolving systems require thermodynamic and computational slack to function. This slack is mediated by fractional Hausdorff dimensions. Acting as mathematically regularized exact pseudoinverses, fractal geometries allow the universe to bypass heavy bulk computations while preserving functional complexity. By synthesizing principles from Causal Dynamical Triangulations, strange attractors, topological insulators, and biological network theory, we demonstrate that the universe operates through native Singular Value Decomposition-like truncations. This framework posits that physical reality actively avoids the computational dead-end of strict holography by executing its processes on fractional, optimally compressed boundaries.

Keywords: Holographic Principle, Algorithmic Compression, Hausdorff Dimension, Overdetermined Universe, Exact Pseudoinverse, Singular Value Decomposition, Causal Dynamical Triangulations, Quantum Information, Topological Insulators, Boundary Logic.

A collaboration with Google Gemini-3.1-Pro. CC4.0.

Outline

1. Introduction: The Computational Bottleneck of an Overdetermined Cosmos 1.1. The Intractability of the 3D Bulk 1.2. The Universe as an Information Processing System 1.3. Thesis Overview: Algorithmic Compression via Fractional Geometry

2. The Holographic Principle as Native Boundary Logic 2.1. Historical Context: Entropy and the Bekenstein Bound 2.2. AdS/CFT Correspondence and Mathematical Equivalencies 2.3. The 't Hooft Formulation of Deterministic Boundaries

3. Black Holes and the N-1 Limit: Strict Truncation and Thermodynamic Death 3.1. The Event Horizon as a Native Singular Value Decomposition 3.2. Maximum Entanglement and Fast Scrambling 3.3. Why N-1 Dimensional Reduction Eliminates Dynamic Computation

4. Fractional Dimensionality: The Necessity of Computational Slack 4.1. Defining the Hausdorff Dimension in Physical Systems 4.2. Regularization vs. Strict Truncation 4.3. The Gap Between Bulk Volume and Holographic Boundaries

5. The Mathematical Framework of Exact Pseudoinverses 5.1. Overdetermined Matrices in Natural Law 5.2. SVD Shortcuts as Physical Mechanisms 5.3. Edge Modes and Boundary Conservation

6. Renormalization Group Flow: Coarse-Graining as Native Compression 6.1. Taming Infinities in Quantum Field Theory 6.2. Integrating Out the Bulk Degrees of Freedom 6.3. Emergent Effective Field Theories

7. Quantum Gravity and Spacetime Dimensional Reduction 7.1. Causal Dynamical Triangulations 7.2. The Dynamic Shift from 4D to 2D at the Planck Scale 7.3. Circumventing the Quantum Foam Intractability

8. Topological Insulators and Gauge Theory: Concrete Bulk-Boundary Correspondences 8.1. Insulating Bulks and Conducting Surfaces 8.2. Chern-Simons Theory and Boundary Invariants 8.3. The Fluid/Gravity Correspondence

9. Chaos Theory and Algorithmic Regularization in Phase Space 9.1. Dissipative Systems and Overdetermined Phase Space 9.2. Strange Attractors as Fractional Pseudoinverses 9.3. Long-Term Stability via Algorithmic Truncation

10. Biological Manifestations: Fractal Optimization and Genetic Logic 10.1. Levinthal's Paradox and Energy Funnels 10.2. Fractal Branching in Vascular and Neural Networks 10.3. Maximizing Surface Area Without Bulk Intractability

11. Artificial Intelligence and Latent Space Geometries 11.1. Neural Networks as Emulators of Physical SVDs 11.2. Information Bottlenecks and Fractional Manifolds 11.3. The Transition from Data Processing to Conceptual Synthesis

12. Conclusion: The Cosmos as a Regularized Holographic Computation 12.1. Summary of the Fractional Shortcut 12.2. Implications for Cosmology and Biological Systems 12.3. Future Avenues for Algorithmic Physics

13. References

Art

1. Introduction: The Computational Bottleneck of an Overdetermined Cosmos

The fundamental pursuit of theoretical physics and physical chemistry has traditionally been the categorization of matter and the forces acting upon it within a three-dimensional spatial arena. However, modern theoretical frameworks increasingly demand a paradigm shift, viewing the cosmos not merely as a container of interacting particles, but as a vast, dynamic information-processing system. Within this computational paradigm, a profound problem emerges: the three-dimensional universe, often referred to as the bulk, is inherently computationally intractable. The sheer volume of redundant data, quantum fluctuations, and microstate configurations required to perfectly describe the bulk at every instant creates a mathematical and thermodynamic bottleneck. If the universe were required to explicitly compute the full phase space of every continuous interaction in three dimensions, the processing requirements would instantly exceed the theoretical physical limits of reality. Therefore, nature must not be calculating the bulk directly. Instead, the physical universe must be intrinsically overdetermined, littered with vast informational redundancies that can be safely ignored or mathematically compressed. This paper explores the mechanisms by which the universe resolves this overdetermination, positing that the Holographic Principle is not merely an exotic quirk of black hole thermodynamics, but the foundational algorithmic shortcut utilized by nature to ensure computational survival.

1.1. The Intractability of the 3D Bulk

To understand the necessity of an algorithmic shortcut, one must first quantify the computational burden of the three-dimensional bulk. In classical mechanics, the state of a system is described by its phase space, which requires six variables per particle to account for position and momentum in three dimensions. For a macroscopic system, such as a mole of gas or a biological cell, the required number of variables scales on the order of 10^23, creating a phase space of incomprehensible dimensionality. When transitioning to quantum mechanics, the computational burden explodes exponentially. The Hilbert space required to describe the entangled states of a many-body quantum system grows so rapidly that simulating even a few hundred fully entangled quantum particles exceeds the informational capacity of the entire observable universe.

This is the intractability of the bulk. The three-dimensional space we experience is saturated with infinite degrees of freedom, continuous fields, and quantum vacuum fluctuations. In theoretical physics, when calculations attempt to account for all these microscopic bulk interactions, the mathematical results frequently diverge into meaningless infinities, requiring aggressive mathematical interventions just to yield finite, measurable predictions. This mathematical divergence is a direct signal that the bulk is vastly overdetermined. There is far more data present in the microscopic volume than is strictly necessary to determine the

macroscopic reality. If physical laws are viewed as algorithms that compute the future state of the universe from its present state, the full 3D bulk represents a dataset that is impossible to process in real-time. A purely local, three-dimensional computational model of the universe inevitably hits a strict thermodynamic and informational wall.

1.2. The Universe as an Information Processing System

The realization that the universe is bound by computational limits originates from the deep connection between thermodynamics and information theory. The foundational laws of thermodynamics are not merely rules about heat engines; they are absolute constraints on the processing, storage, and erasure of data. Every physical system registers information, and every dynamical evolution of a system represents the processing of that information. The maximum speed of computation is bounded by the speed of light, and the minimum energy required to erase a bit of information is governed by established thermodynamic limits.

Because the universe has finite processing power and finite memory capacity bounded by the speed of light and the Planck scale, it must behave like a highly optimized computer. An optimized computer does not brute-force its way through redundant, overdetermined datasets. It utilizes compression algorithms, heuristics, and mathematical shortcuts to arrive at an exact solution while expending the minimum possible computational energy. In natural systems, this optimization manifests as a relentless drive toward lower-dimensional boundary logic. By discarding the noisy, high-dimensional data of the interior volume and focusing strictly on the critical boundary conditions, the universe acts as a systemic optimizer. The physical laws we observe are the macroscopic output of this underlying data compression. The universe does not process the full volume of reality; it computes the boundary and projects the volume.

1.3. Thesis Overview: Algorithmic Compression via Fractional Geometry

This paper proposes a unified framework in which the Holographic Principle serves as the primary mechanism for natural algorithmic compression, acting as a literal Singular Value Decomposition executed by the cosmos. By mathematically dropping the least significant, highly redundant data points of the 3D bulk, the universe projects a fully functional reality from a lower-dimensional boundary. However, we introduce a critical caveat to traditional holographic theory: a perfect reduction from N dimensions to an N-1 dimensional surface describes a state of maximum entropy. In astrophysics, this perfect N-1 dimensional reduction is a black hole, representing a computational dead-end where all informational capacity is saturated and dynamic, evolving processes must cease.

We argue that while black holes represent the ultimate, strict truncation of the bulk, living and dynamic systems require thermodynamic and computational slack to function. To avoid collapsing into terminal entropy, dynamic systems in an overdetermined universe rely on

regularized holographic shortcuts, mediated by fractional Hausdorff dimensions. Rather than compressing onto a flat, integer-based N-1 boundary, physical and biological systems utilize fractal geometries that exist between N and N-1 dimensions. These fractional dimensions act as exact pseudoinverses, retaining just enough mathematical complexity to generate functional, evolving systems, while successfully bypassing the intractable computations of the full bulk volume. Through this lens, we will synthesize evidence from quantum field theory, topological physics, chaos theory, and artificial intelligence to demonstrate that the algorithmic universe operates not through perfect holography, but through optimally regularized, fractional boundary logic.

2. The Holographic Principle as Native Boundary Logic

If the three-dimensional bulk of the universe is computationally intractable and inherently overdetermined, nature must possess a systemic optimization protocol to prevent mathematical and thermodynamic collapse. The Holographic Principle serves as this fundamental protocol. Originally conceptualized to resolve paradoxes within quantum gravity, the principle transcends astrophysics to describe a universal algorithmic framework. It posits that the complete description of a three-dimensional volume of space can be entirely encoded by a theory operating on the lower-dimensional boundary of that region. In the context of an information-processing universe, the Holographic Principle is not merely a physical quirk of gravity; it is the native boundary logic of the cosmos. It functions as a cosmic Singular Value Decomposition, a mathematical process by which the universe continuously discards the noisy, redundant, and computationally expensive dimensions of the bulk, resolving physical laws entirely upon a highly optimized, strictly bounded surface. This section traces the formalization of this boundary logic from its origins in black hole thermodynamics to its rigorous mathematical proofs, demonstrating how the universe natively prioritizes lower-dimensional computation.

2.1. Historical Context: Entropy and the Bekenstein Bound

The realization that the universe utilizes a lower-dimensional shortcut began with the study of thermodynamic entropy in extreme gravitational environments. In classical thermodynamics, the entropy—or the total hidden information and microstate complexity—of a localized system scales proportionally with its three-dimensional volume. A box of gas twice as large contains twice the potential information. However, in the early 1970s, Jacob Bekenstein disrupted this volume-centric paradigm by analyzing the thermodynamics of black holes. Bekenstein realized that if a highly entropic 3D object were thrown into a black hole, the total entropy of the observable universe would appear to decrease, violating the Second Law of Thermodynamics.

To preserve the laws of physics, the black hole itself must possess an entropy proportional to the information it consumed.

Bekenstein, subsequently rigorously validated by Stephen Hawking's derivation of black hole radiation, discovered that the entropy of a black hole is not proportional to its three-dimensional interior volume, but rather to the two-dimensional surface area of its event horizon. This is mathematically expressed by the Bekenstein-Hawking entropy formula:

S = (k * c^3 * A) / (4 * G * hbar)

Where S is entropy, A is the surface area of the event horizon, and the denominator represents the Planck area. This equation is arguably the first exact pseudoinverse discovered in fundamental physics. It dictates that the maximum amount of information that can be contained in any region of space is strictly limited by the area of its boundary, a limit now known as the Bekenstein bound.

The implications for an overdetermined universe are profound. If the maximum informational capacity of a 3D space scales with its 2D boundary, then the three-dimensional bulk is mathematically bloated. The continuous, infinite degrees of freedom we attribute to 3D space are an illusion of overdetermination. When a star collapses into a black hole, the universe does not attempt to calculate the intractable 3D singularity; it truncates the dataset. The physical volume is discarded, and the exact quantum microstates of the infalling matter are preserved on the 2D event horizon at a density of exactly one bit per Planck area. The event horizon acts as the ultimate boundary logic, proving that the universe processes extreme physical states by reverting to a lower-dimensional algorithmic surface.

2.2. AdS/CFT Correspondence and Mathematical Equivalencies

While Bekenstein and Hawking established the thermodynamic necessity of boundary logic, the exact mathematical mechanism of this algorithmic shortcut was fully realized in 1997 through the work of Juan Maldacena. Maldacena introduced the Anti-de Sitter/Conformal Field Theory (AdS/CFT) correspondence, providing the first concrete, rigorous mathematical proof of the Holographic Principle in action. AdS/CFT functions as a perfect dictionary that translates complex bulk physics into simplified boundary computations.

In this framework, the "bulk" is an Anti-de Sitter (AdS) space, a highly complex, higher-dimensional spacetime geometry that includes the force of gravity and vibrating strings. The "boundary" is a Conformal Field Theory (CFT), a lower-dimensional, flat spacetime that operates strictly via quantum mechanics, completely devoid of gravity. Maldacena proved that these two vastly different mathematical environments are exactly dual to one another. Every physical event, particle interaction, and quantum fluctuation occurring in the computationally heavy

gravitational bulk possesses an exact, mathematically equivalent shadow on the gravity-free boundary.

From an algorithmic perspective, AdS/CFT is the universe executing a systemic optimization. The correspondence exhibits a critical feature: strong-weak duality. When the mathematical calculations in the 3D bulk become strongly coupled, highly turbulent, and computationally impossible to solve (the overdetermined state), the equivalent mathematics on the 2D boundary become weakly coupled, simple, and linear. The universe bypasses the infinite intractability of quantum gravity in the volume by natively solving the equations on the boundary. Physicists utilize this correspondence today to model complex phenomena, such as high-temperature superconductors and quark-gluon plasmas, by mathematically projecting them onto a lower-dimensional space. AdS/CFT confirms that natural law relies on boundary equivalencies to bypass overdetermined bulk calculations, acting as a literal algebraic shortcut built into the fabric of spacetime.

2.3. The 't Hooft Formulation of Deterministic Boundaries

Gerard 't Hooft, who originally formulated the generalized Holographic Principle in 1993, extended the concept of boundary logic far beyond the gravitational extremes of black holes. 't Hooft recognized that if the Bekenstein bound holds true, the fundamental degrees of freedom in the universe cannot be continuous or infinite. The standard interpretation of quantum mechanics, which relies on an infinite-dimensional Hilbert space to calculate probabilities, is therefore an overdetermined mathematical bulk that cannot represent the absolute bedrock of physical reality. The computational processing power required to sustain an infinite-dimensional quantum foam is thermodynamically impossible.

To resolve this bottleneck, 't Hooft proposed that beneath the chaotic, probabilistic bulk of quantum mechanics lies a deterministic, heavily compressed boundary logic. In his Cellular Automaton interpretation of quantum mechanics, the Planck-scale universe does not compute infinite superpositions. Instead, it operates as a finite, deterministic grid of boolean states—a cellular automaton evolving according to strict, localized, and lower-dimensional rules.

In this view, the universe processes reality at the ultimate microscopic boundary using finite state machine logic. Because observers operate at macroscopic, low-resolution scales, we cannot see the exact boundary calculations. The probabilistic waves, uncertainties, and overdetermined variables of standard quantum mechanics are merely macroscopic artifacts—the emergent "blurred" projection of a rigid, lower-dimensional computational grid. 't Hooft's mathematics demonstrate that applying a mathematical coarse-graining (a structural truncation identical in function to a Singular Value Decomposition) to this deterministic boolean lattice naturally yields the equations of quantum mechanics. Thus, 't Hooft provides a concrete

mechanism for algorithmic compression: the universe actively avoids quantum intractability by grounding all reality in a discrete, deterministic, lower-dimensional boundary logic, projecting the overdetermined 3D volume as an emergent consequence of systemic optimization.

3. Black Holes and the N-1 Limit: Strict Truncation and Thermodynamic Death

While the Holographic Principle dictates that the universe utilizes lower-dimensional boundary logic to optimize its operations, this algorithmic compression exists on a spectrum. At the extreme end of this spectrum lies the black hole. In the framework of an inherently overdetermined algorithmic universe, black holes are not merely collapsed stars or gravitational anomalies; they are the absolute limit of spatial computation. They represent a scenario where the universe encounters an informational mass so dense and a localized phase space so computationally intractable that it executes a perfect, mathematically strict reduction from N dimensions to exactly N-1 dimensions. By projecting the entirety of a highly complex three-dimensional bulk onto a two-dimensional surface, nature achieves absolute mathematical efficiency. However, this perfect algorithmic compression comes at a severe thermodynamic cost. A strict N-1 dimensional reduction maximizes the entropy of the system, saturating its informational capacity and entirely eliminating its ability to perform dynamic, evolutionary computation. Understanding why a perfect holographic reduction equates to physical and computational death is essential for understanding why living, functional systems must avoid it.

3.1. The Event Horizon as a Native Singular Value Decomposition

To mathematically conceptualize the formation of a black hole within an information-processing universe, one must look to the mechanics of a Singular Value Decomposition in linear algebra. In data science, when a system is burdened by an overdetermined matrix containing vast amounts of noise and redundant data, a Singular Value Decomposition is applied to factor the matrix and isolate its core structural components. By truncating the matrix and discarding the smallest singular values, the algorithm heavily compresses the dataset while retaining its essential mathematical identity. The universe actively executes this exact mathematical procedure during gravitational collapse.

When a massive stellar object exhausts its nuclear fuel, its three-dimensional bulk is a computationally chaotic environment of infinite quantum trajectories and physical redundancies. As gravity overcomes the outward pressure, the system reaches a threshold of infinite computational density known as a singularity. To prevent a mathematical paradox, the universe truncates the dataset. It executes a physical Singular Value Decomposition, completely discarding the spatial redundancies of the three-dimensional volume.

The resulting event horizon is the literal, physical manifestation of the truncated matrix. The three-dimensional bulk is mathematically mapped to a two-dimensional exact pseudoinverse. The universe drops all singular values associated with spatial depth and interior geometric structures. What remains on the event horizon is strictly the mathematically essential boundary data: the mass, charge, and angular momentum, alongside the exact quantum microstates of the constituent matter. The physical volume is bypassed entirely, and the universe balances its equations strictly through the optimized boundary conditions of the N-1 surface.

3.2. Maximum Entanglement and Fast Scrambling

Having executed a strict matrix truncation, the universe must securely store the compressed data of the discarded bulk upon the two-dimensional boundary. The mechanics of this storage reveal the extreme efficiency of the black hole as an algorithmic mechanism. The surface of the event horizon is structurally discretized into Planck-scale pixels, with each Planck area capable of housing exactly one unit of quantum information, or qubit. Because the physical bulk has been mathematically eliminated, the information on the surface cannot be stored topographically, where a specific physical coordinate on the boundary corresponds to a specific physical coordinate of the original star.

Instead, the black hole utilizes a phenomenon known as fast scrambling. In quantum information theory, a fast scrambler is a system that takes localized information and rapidly distributes it globally across the entire available system through extreme quantum entanglement. Black holes are the most efficient fast scramblers in physical existence. The boundary matrix is a maximally entangled state. If a single particle is added to the black hole, its quantum information does not remain isolated at the point of entry; it is instantly smeared and mathematically distributed across the entire two-dimensional boundary matrix.

This total entanglement ensures that the boundary logic is universally consistent. The N-1 surface operates as an indecomposable, unified quantum state. No localized, three-dimensional physical structures can exist or interact upon the event horizon because the algorithm has completely stripped away local geometry in favor of global informational distribution. The exact quantum state of the overdetermined bulk is perfectly preserved, but it is rendered physically unrecognizable and entirely encoded as raw mathematical data within a maximally entangled grid.

3.3. Why N-1 Dimensional Reduction Eliminates Dynamic Computation

The flawless execution of this algorithmic shortcut presents a thermodynamic paradox. By achieving perfect information compression on an N-1 boundary, the black hole reaches a state of maximum entropy. Every available Planck-scale pixel on the boundary is occupied by

entangled data. In the context of the universe as an information-processing system, maximum entropy is synonymous with the cessation of dynamic computation.

According to Landauer's principle and the fundamental laws of thermodynamics, computation requires an energy gradient. To process information, change a bit from zero to one, or evolve a system from one physical state to another, there must be a flow of energy from a state of low entropy to a state of high entropy. This flow requires unused informational capacity, or computational slack. Because a black hole operates at the absolute Bekenstein bound of its event horizon, it possesses zero computational slack. The boundary matrix is entirely full.

Therefore, a strict N-1 dimensional reduction acts as a cosmic storage drive, not an active processor. While the exact pseudoinverse perfectly balances the mathematical ledger of the universe, preventing the computational collapse of a singularity, it paralyzes the system. The internal dynamics of the physical matter are frozen, and the system can no longer evolve, generate new structures, or execute functional operations. The black hole is an inert algorithmic artifact. For a physical system to avoid this thermodynamic death and maintain the ability to process, adapt, and evolve in an overdetermined universe, it must utilize an algorithmic shortcut that avoids the strict integer truncation of an N-1 boundary. It must seek a regularized optimization that preserves sufficient thermodynamic slack, pointing directly to the necessity of fractional dimensions.

4. Fractional Dimensionality: The Necessity of Computational Slack

The universe, operating as an algorithmic optimizer, seeks to process information with maximum thermodynamic efficiency. As established, the ultimate manifestation of this efficiency is the black hole, which executes a perfect dimensional reduction to an N-1 surface. However, this creates a profound cosmological paradox: if the mathematical physics of the universe natively favor the absolute efficiency of a perfect two-dimensional boundary, why does the complex, seemingly three-dimensional bulk exist at all? Why has the cosmos not universally collapsed into an optimized network of event horizons? The answer lies in the fundamental requirements of computation. A perfectly compressed algorithmic system is static; it possesses no thermodynamic capacity to change states, evolve, or compute new outputs. Dynamic systems, from turbulent plasmas to biological organisms, cannot survive strict mathematical truncation. They must avoid the terminal entropy of an N-1 limit by intentionally retaining a specific, mathematically tuned degree of structural inefficiency. This intentional inefficiency is mediated through fractional geometries. By operating not on strict integer dimensions, but upon fractional Hausdorff dimensions, physical systems create the exact mathematical and

thermodynamic breathing room necessary to sustain living, algorithmic processes within an inherently overdetermined bulk.

4.1. Defining the Hausdorff Dimension in Physical Systems

To understand how the universe engineers computational slack, we must abandon the rigid construct of topological integer dimensions. In classical geometry, dimensions are discrete and absolute: a line is one-dimensional, a flat plane is two-dimensional, and a solid volume is three-dimensional. However, physical reality rarely conforms to these platonic ideals. When examining complex, evolving systems in nature, structural boundaries behave irregularly.

This irregularity is quantified by the Hausdorff dimension, a metric that describes how a complex structure occupies space at varying scales of magnification. Unlike a topological integer dimension, a Hausdorff dimension can be a non-integer, fractional value. For example, a mathematically perfect curve drawn on a page is strictly 1-dimensional. But a highly complex, infinitely jagged curve, such as a physical coastline or the trajectory of a particle in Brownian motion, folds in on itself so densely that it begins to occupy the area of the 2D plane it rests upon. Its Hausdorff dimension mathematically evaluates to a fraction between 1.0 and 2.0.

In physical systems attempting to resolve the computationally overdetermined N-dimensional bulk, nature leverages this fractional scaling to perform an algorithmic trick. A geometric structure with a Hausdorff dimension between 2.0 and 3.0 allows the universe to pack a near-infinite amount of two-dimensional boundary area into a finite three-dimensional volume. It is neither a true volume nor a true surface. By utilizing algorithms that generate structures with specific Hausdorff dimensions, the universe can drastically increase the informational capacity and interactive surface area of a system while mathematically bypassing the intractable data requirements of computing a full, solid three-dimensional volume. The fractional dimension is the physical manifestation of a data compression algorithm running in real-time.

4.2. Regularization vs. Strict Truncation

The transition from integer dimensions to fractional geometry can be rigorously understood through the lens of linear algebra and exact pseudoinverses. When the universe processes an overdetermined system, it performs an operation highly analogous to a Singular Value Decomposition (SVD). In a strict truncation, such as the formation of a black hole, the algorithm drops every single mathematical value associated with the bulk depth, retaining only the absolute minimum matrix required to describe the boundary.

However, in computational mathematics, a strict truncation of a highly complex matrix often leads to severe instability or a complete loss of functional structure. The data becomes so perfectly compressed that it cannot be reversed, generalized, or utilized for dynamic processes. To solve this in data science, engineers use regularization techniques. Regularization

intentionally adds a small amount of mathematical bias or noise back into the algorithm to prevent the system from collapsing into an over-optimized, static state.

Fractal geometry is the universe's native algorithmic regularization. Instead of executing a strict SVD that flattens a 3D bulk into a 2D matrix, biological and physical systems drop the majority of the overdetermined noise but intentionally retain a fractional spectrum of the bulk's singular values. They do not drop to N-1; they stabilize at an intermediate fractal dimension, such as D = 2.7. This fractional regularizer prevents the system from suffering the catastrophic scrambling of a black hole. It maintains just enough mathematical structure from the original three-dimensional dataset to preserve functional morphology, while still reaping the vast computational savings of operating predominantly as a lower-dimensional boundary logic.

4.3. The Gap Between Bulk Volume and Holographic Boundaries

The most critical feature of this regularized geometry is the mathematical gap it creates. If a three-dimensional bulk (N = 3) is strictly bounded by a two-dimensional holographic surface (N-1 = 2), a system operating at a Hausdorff dimension of D = 2.6 possesses a dimensional gap of 0.6 from the bulk, and 0.4 from the absolute boundary. This fractional gap is the exact metric of the system's computational slack.

Computation is fundamentally a physical process that requires energy dissipation. According to Landauer's principle, the erasure of information or the changing of a computational state must release heat into the surrounding environment, increasing the overall entropy. If a system is operating strictly at the Bekenstein bound of an N-1 surface, its entropy is already maximized. There is nowhere for the heat of computation to go, and therefore, the system is mathematically frozen. The arrow of time for that specific local system effectively halts.

By operating at a fractional dimension, the universe ensures that the boundary is never fully saturated. The fractional remainder provides the empty phase space necessary for the system to process data, evolve, and dissipate thermodynamic waste. The fractal geometry acts as an aggressively optimized algorithmic shortcut, compressing the heavy N-dimensional bulk, but it halts the compression algorithm precisely before reaching the terminal N-1 limit. This gap is what separates inert physical laws from dynamic, evolving complexity. Without the computational slack provided by fractional dimensionality, the universe would be mathematically incapable of supporting algorithmic phenomena such as turbulent fluid dynamics, the synthesis of proteins, or the emergence of artificial and biological intelligence.

5. The Mathematical Framework of Exact Pseudoinverses

If the universe acts as an algorithmic optimizer that actively utilizes fractional boundary logic to bypass the intractable three-dimensional bulk, this process must be grounded in formal, calculable mathematics. In computational science, the resolution of massively complex, inherently unsolvable data structures is governed by linear algebra. To understand the holographic shortcut as a physical reality, we must map the physical interactions of the cosmos to the mechanics of matrix operations. In this framework, the physical laws governing a volume of space are represented as matrices, and the state of the universe at any given moment is the resolution of these matrices. However, because the bulk volume is saturated with infinite quantum fluctuations and continuous degrees of freedom, the native matrices of the universe are fundamentally unsolvable through standard mathematical inversion. Nature must therefore rely on an exact mathematical workaround. This section details how the universe utilizes exact pseudoinverses and Singular Value Decompositions as literal physical mechanisms to resolve the overdetermined physics of the bulk, leaving the functional data exclusively on the boundary.

5.1. Overdetermined Matrices in Natural Law

In linear algebra, a system of equations is represented by the equation $Ax = b$, where A is the matrix of the system's rules, x is the unknown state we are trying to solve for, and b is the observed output. If the matrix A is a square matrix, meaning it has an exactly equal number of equations and unknowns, it is perfectly deterministic. One can find the inverse of the matrix to solve the system perfectly. Classical physics, in its idealized, textbook form, assumes the universe operates on square matrices.

However, physical reality is not idealized. In a continuous, three-dimensional bulk governed by quantum field theory, every localized point in space contains an infinite number of interacting fields, virtual particles, and vacuum fluctuations. When we attempt to calculate the state of the bulk, the matrix A is not square; it is infinitely tall. It is an overdetermined system. There are vastly more equations, constraints, and data points than there are physical unknowns.

In mathematics, an overdetermined matrix has no true inverse. It is impossible to find a single, unique solution that perfectly satisfies every single noisy, redundant equation simultaneously. If the universe were forced to compute the standard inverse of the three-dimensional bulk, the calculation would crash, manifesting in physical theories as the infinities and divergences that plague un-renormalized quantum gravity. Therefore, the universe cannot be computing the bulk directly. It requires a mathematical operator capable of finding the most optimal, highly compressed solution that bypasses the unsolvable matrix. It requires a pseudoinverse.

5.2. SVD Shortcuts as Physical Mechanisms

The mathematically rigorous method for resolving an overdetermined, unsolvable matrix is the Moore-Penrose exact pseudoinverse, calculated via a Singular Value Decomposition (SVD). In data science, an SVD takes the massive, overdetermined matrix A and factors it into three distinct matrices: U, Sigma, and V. The critical component is the Sigma matrix, which is a diagonal matrix containing the singular values of the system. These singular values represent the mathematical weight, or importance, of every feature within the dataset.

To execute an algorithmic shortcut, a computational system drops the smallest singular values in the Sigma matrix. It mathematically discards the noise, the microscopic fluctuations, and the redundant spatial dimensions. The system then recombines the truncated matrices to form the exact pseudoinverse, often denoted as A+. This new operator allows the system to bypass the impossible calculations of the original matrix and instantly project the most accurate, optimally compressed solution.

In the context of the algorithmic universe, physical Singular Value Decompositions are happening continuously at the fundamental level. The universe does not calculate the infinite singular values of the 3D bulk. Instead, nature acts as a truncation algorithm. The native forces of the cosmos factor the phase space, identify the macroscopically relevant singular values, and discard the infinite microscopic noise of the volume. The holographic boundary of any physical system is not merely a geometric edge; it is the physical manifestation of the truncated Sigma matrix. The boundary logic is the exact pseudoinverse. By projecting the state of the system through this pseudoinverse, the universe successfully resolves the unsolvable physics of the bulk, achieving thermodynamic stability and functional evolution without needing to process the overdetermined interior.

5.3. Edge Modes and Boundary Conservation

To prove that exact pseudoinverses are not merely metaphorical, but literal mechanics of the cosmos, we look to the mathematics of gauge theories and boundary conservation. In modern physics, all fundamental forces are described by gauge theories, which rely on local symmetries and conservation laws. If you take a mathematical description of a region of space (the bulk matrix) and artificially cut it, creating a boundary, the equations immediately break down. The gauge invariance is violated because the mathematical links that connected the inside of the region to the outside have been severed by the truncation.

If the universe natively executes SVD shortcuts, it must have a mechanism to repair this broken symmetry at the boundary. In theoretical physics, this repair mechanism is the generation of edge modes. Edge modes are mathematical degrees of freedom that do not exist in the 3D bulk;

they spontaneously appear strictly on the 2D boundary the moment the bulk is truncated. They act as mathematical bookkeepers.

These edge modes are the physical equivalent of the regularization terms used in computational pseudoinverses. Because the universe has discarded the heavy data of the bulk volume, the physical conservation laws (like the conservation of charge or energy) are momentarily unbalanced. The edge modes manifest on the lower-dimensional surface to absorb the mathematical discrepancy. They ensure that all the physics that were dropped during the universe's Singular Value Decomposition are mathematically accounted for in a highly compressed format on the boundary. The existence of edge modes provides rigorous, concrete evidence that the universe resolves the intractability of physical space by abandoning the volume and executing its mathematical ledger entirely on the edge.

6. Renormalization Group Flow: Coarse-Graining as Native Compression

While the holographic boundary of a black hole provides the most extreme example of spatial data compression, the universe must also possess a mechanism to compress data across different scales of magnitude. If the cosmos is an inherently overdetermined algorithmic system, it cannot afford to compute the infinite quantum fluctuations occurring at the Planck scale while simultaneously rendering the macroscopic physics of planets and biological life. To resolve this infinite depth of data, nature employs a continuous, dynamic compression algorithm known in physics as Renormalization Group flow. Originally developed as a mathematical technique to solve unsolvable equations in quantum mechanics, Renormalization Group flow is now understood to be a literal physical process. It is the universe's native coarse-graining mechanism, acting as a sequential Singular Value Decomposition applied across the dimension of scale. By mathematically integrating out the highest-frequency, most computationally expensive microscopic data, the universe successfully isolates the functional boundary logic required to project macroscopic reality, proving that physical laws themselves are highly compressed algorithmic outputs.

6.1. Taming Infinities in Quantum Field Theory

To understand why the universe requires this mechanism of scale-based compression, one must look at the mathematical crisis that birthed Quantum Field Theory. In the mid-twentieth century, physicists attempted to calculate the fundamental properties of particles, such as the mass or the electrical charge of an electron. However, according to quantum mechanics, the vacuum of space is not empty; it is a chaotic, continuously boiling bulk of virtual particles popping into and out of existence. An electron is constantly interacting with this infinite sea of virtual photons and electron-positron pairs.

When physicists attempted to calculate the total energy of these interactions by summing up all the possible quantum states across all possible distances, the equations resulted in absolute infinities. The integral equations diverged. Mathematically, the energy required to calculate the interactions at infinitesimally small distances, known as the ultraviolet scale, approached infinity. This is the ultimate manifestation of an overdetermined system. The microscopic bulk contains an infinite number of degrees of freedom. If the universe were forced to explicitly compute the exact position, momentum, and interaction of every single virtual particle at the scale of 10^-35 meters just to determine the charge of a single electron at the macroscopic scale, the computational thermodynamics of the cosmos would instantly crash.

Historically, physicists treated renormalization as an elaborate mathematical trick, a way to sweep the infinities under the rug by artificially subtracting them out of the equations to match experimental measurements. However, the theoretical physicist Kenneth Wilson revolutionized this perspective. Wilson demonstrated that renormalization is not a mathematical trick; it is the fundamental algorithmic physics of scale. The infinities arise precisely because human mathematics was attempting to process the overdetermined bulk in its entirety, whereas the universe itself actively refuses to do so. The universe tames these infinities natively by executing a strict physical protocol of data truncation.

6.2. Integrating Out the Bulk Degrees of Freedom

The mathematical procedure by which the universe executes this truncation is the Wilsonian Renormalization Group flow. It is fundamentally a process of algorithmic coarse-graining, deeply analogous to image compression in computer science. If one possesses a high-resolution, multi-gigabyte image containing billions of pixels, calculating a global transformation on that image requires massive processing power. To optimize the process, an algorithm averages out adjacent pixels, blending their values and discarding the microscopic details. The image becomes lower resolution, but the macroscopic geometric structures, the actual subjects of the image, remain intact and require a fraction of the computational power to process.

In quantum physics, the universe performs this exact coarse-graining operation on the fabric of spacetime. Instead of averaging pixels, the universe mathematically averages out high-energy, short-distance quantum fluctuations. In the terminology of field theory, nature integrates out the ultraviolet degrees of freedom. The universe takes the infinitely tall, unsolvable matrix of the quantum bulk and applies a mathematical low-pass filter.

This process is a continuous Singular Value Decomposition. The short-range, hyper-complex virtual particle interactions represent the lowest-weighted singular values. They are computationally noisy and highly overdetermined, but they contribute almost nothing to the macroscopic structure of the system. Therefore, the universe drops them. It absorbs the effect

of these microscopic fluctuations into a set of modified parameters, such as an adjusted mass or an adjusted coupling constant. As one moves from the microscopic scale to the macroscopic scale, the parameters of the physical system dynamically flow and change. The complex bulk of the micro-world is mathematically discarded, leaving behind a highly compressed, optimized set of rules that accurately dictate the physics of the next scale up. The universe entirely bypasses the calculation of the microscopic volume, operating strictly on the compressed boundary data generated by the Renormalization Group flow.

6.3. Emergent Effective Field Theories

The final output of this continuous algorithmic compression is an Effective Field Theory. An Effective Field Theory is the exact pseudoinverse of the underlying quantum mechanics. It is a highly optimized mathematical model that perfectly describes the physics of a system at a specific macroscopic scale without requiring any knowledge or computation of the microscopic bulk beneath it.

The Standard Model of particle physics, which describes all known fundamental particles and forces with breathtaking accuracy, is itself widely considered to be an Effective Field Theory. It is not the ultimate, infinite-resolution code of the universe; it is the compressed, low-energy projection. The universe is able to run the complex chemistry of biological life and the orbital mechanics of galaxies precisely because it utilizes Effective Field Theories to shield these macroscopic processes from the intractable computational noise of the quantum bulk.

The most profound evidence that the universe operates as an algorithmic optimizer is found in the phenomenon of universality classes within Renormalization Group flow. When physicists study phase transitions, such as water boiling into steam or a metal becoming magnetic, they find that vastly different materials with entirely different microscopic bulk structures will suddenly behave according to the exact same macroscopic mathematics near their critical points. The microscopic details of the specific atoms become entirely irrelevant. The Renormalization Group flow has aggressively integrated out all the distinguishing micro-data, executing an SVD that drops all localized variables until only the pure, structural boundary logic remains. This proves that physical reality is fundamentally algorithmic. The universe does not care about the overdetermined hardware of the microscopic bulk; it only cares about executing the heavily compressed, universally stable software of the effective boundary.

7. Quantum Gravity and Spacetime Dimensional Reduction

The synthesis of quantum mechanics and general relativity remains the paramount mathematical challenge of modern theoretical physics. General relativity describes gravity as the smooth, continuous warping of a four-dimensional spacetime bulk (three spatial dimensions

and one temporal dimension). Conversely, quantum mechanics mandates that at microscopic scales, all fields must be quantized, granular, and subject to violent probabilistic fluctuations. When theorists attempt to merge these frameworks to create a unified theory of quantum gravity, the mathematics catastrophic breakdown. The resulting equations yield uncontrollable infinities, signaling a fundamentally overdetermined system. In the context of an algorithmic universe, these infinities are not merely human mathematical errors; they are the physical manifestation of computational intractability. If the universe attempted to explicitly calculate the interactions of infinite quantum states within a fully realized, continuous three-dimensional spatial volume at the Planck scale, it would violate its own thermodynamic constraints. Therefore, nature must bypass this intractable computation. This section examines how the cosmos executes the holographic shortcut at the deepest infrastructural level, resolving the crisis of quantum gravity by dynamically reducing the structural dimensionality of spacetime itself.

7.1. Causal Dynamical Triangulations

To understand how the fabric of reality mathematically compresses its own geometry, we look to one of the most rigorous, non-perturbative approaches to quantum gravity: Causal Dynamical Triangulations. Unlike string theory, which assumes a pre-existing background space to operate within, Causal Dynamical Triangulations is a background-independent framework. It attempts to calculate the geometry of the universe from the bottom up, utilizing discrete mathematics.

In this model, spacetime is not a smooth, continuous sheet. It is approximated as a massive, computational mesh constructed from tiny, flat, multi-dimensional geometric building blocks called simplices. In a spatial cross-section, these simplices are analogous to microscopic triangles or tetrahedra. By gluing these discrete geometric pieces together according to the rules of quantum superposition, and strictly enforcing an algorithmic rule of causality (ensuring cause always precedes effect), supercomputers can simulate the physical evolution of the spacetime phase space.

When millions of these simplices are computed, the simulation successfully generates a macroscopic universe that perfectly matches the smooth, four-dimensional geometry predicted by Einstein's general relativity. Causal Dynamical Triangulations provides a mathematically concrete model of the universe as a native computational lattice. It proves that continuous, unbroken 3D space is an emergent illusion, a macroscopic output generated by a discrete, finite algorithmic geometry operating at the deepest layers of reality.

7.2. The Dynamic Shift from 4D to 2D at the Planck Scale

The most profound discovery to emerge from Causal Dynamical Triangulation simulations is the phenomenon of scale-dependent dimensionality. In classical physics, the dimensionality of space is an absolute constant. However, in an algorithmic universe governed by data compression, dimensionality is a dynamic, fluid variable that shifts based on the computational requirements of the system.

When physicists measure the Hausdorff dimension and the spectral dimension of the simulated universe in Causal Dynamical Triangulations, they observe a startling geometric transition. At macroscopic, low-energy scales, the equations consistently yield a dimensionality of exactly 4.0 (representing the standard bulk of our observable reality). However, as the mathematical observer zooms into the simulation, crossing the microscopic threshold and approaching the ultra-high-energy Planck scale (approximately 1.6 x 10^-35 meters), the structural dimensionality of spacetime physically collapses. The mathematics reveal that at the fundamental quantum level, the dimension drops dynamically from 4.0 to exactly 2.0.

This scale-dependent shift is the universe caught in the act of executing a native Singular Value Decomposition. The mathematical lattice of reality is physically dropping singular values associated with spatial volume as the energy density increases. The universe refuses to construct a three-dimensional bulk at the Planck scale. Instead, it flattens the local geometry into a two-dimensional boundary. The 4D spacetime bulk that we navigate daily is not the foundational architecture of the cosmos; it is merely an emergent, low-resolution projection generated by a highly compressed, natively 2D computational substrate.

7.3. Circumventing the Quantum Foam Intractability

This dynamic structural compression is the ultimate algorithmic workaround to the problem of quantum gravity. In the 1950s, physicist John Archibald Wheeler coined the term quantum foam to describe the theoretical state of the universe at the Planck scale. Wheeler posited that at these unimaginably small distances, the geometry of spacetime would be violently torn apart by quantum fluctuations, creating an infinitely complex, bubbling phase space of micro-wormholes and topological chaos.

From an information theory perspective, Wheeler's quantum foam represents a computational nightmare. It is an infinitely overdetermined bulk matrix. If spacetime maintained its full three-dimensional spatial volume at the Planck scale, the chaotic fluctuations would require infinite bits of data to process, resulting in the mathematical divergences that plague traditional quantum gravity models.

By actively dropping its structural dimension from 4 to 2 at the microscopic limit, the universe completely circumvents the quantum foam intractability. The geometry of space acts as its own

exact pseudoinverse. The universe mathematically bypasses the unsolvable 3D volume entirely, calculating the fundamental quantum interactions strictly upon a two-dimensional geometric boundary. The mathematical infinities disappear precisely because the spatial depth required to harbor them has been algorithmically deleted. Therefore, the holographic shortcut is not just a mechanism found on the surface of black holes; it is the fundamental error-correction protocol hardcoded into the vacuum of space, ensuring the thermodynamic stability of the cosmos by relentlessly enforcing a lower-dimensional boundary logic.

8. Topological Insulators and Gauge Theory: Concrete Bulk-Boundary Correspondences

While the holographic reduction of spacetime at the Planck scale and the maximum entropy matrices of black holes provide profound theoretical frameworks for an algorithmic universe, physical science demands measurable, laboratory-verified phenomena. If the cosmos relies upon exact pseudoinverses and dimensional truncation to resolve overdetermined systems, this mathematics should manifest not only in the extreme gravitational environments of collapsed stars, but also within the molecular arrays of condensed matter physics. This section transitions from the cosmological to the concrete, examining materials and gauge theories that physically embody the holographic shortcut. By observing topological insulators and the mathematical duality of the fluid/gravity correspondence, we find definitive, empirical proof that nature natively partitions physical systems into intractable, discarded bulks and highly optimized, functional boundaries. In these systems, the universe literally routes its functional data processing away from the three-dimensional volume, executing physical laws strictly upon a two-dimensional surface.

8.1. Insulating Bulks and Conducting Surfaces

The most striking, laboratory-verified manifestation of holographic algorithmic compression is found in a class of materials known as topological insulators. These materials, such as bismuth selenide, present a profound paradox in classical solid-state physics. When one measures the three-dimensional interior volume of the material, it acts as a perfect electrical insulator. The electrons within the bulk are locked in place, unable to flow or conduct data. However, the two-dimensional exterior surface of that exact same material operates as a perfect, gapless electrical conductor.

From an information processing perspective, the topological insulator is a physical Singular Value Decomposition running in real-time. The three-dimensional bulk of the material represents an overdetermined matrix of quantum states. Within this volume, billions of electron wavefunctions interfere, overlap, and create a highly complex, computationally dense environment. The universe resolves this internal complexity by forcing the wavefunctions into a

state of destructive interference, creating a massive energy gap that halts all dynamic activity. The bulk is computationally paralyzed, much like the interior of a black hole, safely locking away the overdetermined thermodynamic noise.

However, the laws of quantum mechanics demand that the system remain continuous with the vacuum of empty space surrounding it. To resolve the mathematical discrepancy between the insulating interior and the external vacuum, the material cannot rely on the paralyzed bulk. Instead, it must project a resolution onto its boundary. The universe natively drops the third spatial dimension, discarding the internal singular values, and establishes a highly optimized matrix of conductive electron states strictly on the two-dimensional surface. The electrical data flows across the boundary with near-zero resistance and zero thermodynamic friction, completely ignoring the intractable three-dimensional volume beneath it. The topological insulator proves that when a physical matrix becomes too computationally heavy to support dynamic flow, nature defaults to a lower-dimensional boundary shortcut.

8.2. Chern-Simons Theory and Boundary Invariants

The mechanisms driving this bulk-boundary divergence are strictly mathematical, governed by a topological framework known as Chern-Simons theory. In mathematics, topology is the study of global, structural properties that remain unchanged even when a system is continuously deformed, stretched, or twisted. In an algorithmic universe, topological invariants are the ultimate, highly compressed exact pseudoinverses. They are single, quantized numbers that completely define the macroscopic behavior of a system, rendering all local, microscopic quantum fluctuations entirely irrelevant.

In a topological insulator, the global quantum state of the three-dimensional bulk is characterized by a specific topological invariant, often represented mathematically as a discrete integer value, such as $Z = 1$. This integer is the physical equivalent of a retained singular value in an SVD matrix. Because the universe has calculated this single, highly compressed global invariant for the bulk, it does not need to compute the continuous, localized path of every single electron inside the material. The topological invariant mathematically dictates that, regardless of internal defects, impurities, or chaotic thermal noise, a conductive state must exist on the boundary.

This reliance on boundary invariants is fundamentally algorithmic. By defining the system through an unchangeable topological integer, the universe executes a massive data compression protocol. The equations governing the surface electrons are mathematically locked; they are robust against local perturbations precisely because they are tethered to the global geometry of the discarded bulk, rather than the local microscopic variables. The boundary logic is an exact, regularized pseudoinverse of the interior topology, allowing the universe to run flawless, high-

speed electron conductivity on the surface without expending the computational energy required to maintain order within the three-dimensional volume.

8.3. The Fluid/Gravity Correspondence

Moving beyond solid-state materials, the holographic shortcut also manifests in the dynamic calculation of continuous physical forces, most notably through the fluid/gravity correspondence. This correspondence is a mathematically rigorous derivation of the AdS/CFT framework that exposes a direct algebraic translation between gravitational physics and hydrodynamics. When theoretical physicists attempt to calculate the dynamic perturbations of a black hole's event horizon—such as how the boundary ripples and settles after absorbing a mass—they must utilize the Einstein field equations in a higher-dimensional space. These equations are non-linear, highly coupled, and immensely overdetermined.

However, mathematical physicists discovered a literal algorithmic workaround embedded in the geometry. If one takes a specific mathematical limit of these complex bulk gravity equations and projects them strictly onto a lower-dimensional boundary, the Einstein equations undergo a perfect mathematical collapse. They transform exactly into the Navier-Stokes equations, which are the fundamental algorithms used to describe a standard fluid flowing across a flat, two-dimensional surface.

This duality reveals that the universe treats gravitational bulk calculations and lower-dimensional fluid dynamics as identical algorithmic processes separated only by a dimensional SVD truncation. When the universe processes the warping of spacetime, it is mathematically cheaper and computationally identical to calculate the event as a two-dimensional liquid undergoing thermodynamic friction. The gravitational bulk is the overdetermined matrix; the hydrodynamic boundary is the exact pseudoinverse. By compressing the immense complexity of general relativity into the highly optimized boundary logic of fluid mechanics, the universe successfully balances its dynamic energy equations without succumbing to the mathematical intractability of the full spatial volume.

9. Chaos Theory and Algorithmic Regularization in Phase Space

The universe’s utilization of holographic shortcuts and exact pseudoinverses extends far beyond the rigid symmetries of quantum gravity and topological materials. The natural world is dominated by chaotic, non-linear, and inherently unpredictable phenomena—from the turbulent flow of atmospheric weather patterns to the erratic fluctuations of animal populations. To an external observer, these systems appear computationally intractable, representing massive, overdetermined datasets evolving without predictable structure. However, chaos theory reveals that even within the most turbulent physical systems, the

cosmos does not compute raw, infinite randomness. Instead, the universe natively deploys mathematical regularization, actively compressing the infinite possibilities of a chaotic phase space down to highly localized, lower-dimensional boundaries known as strange attractors. This section examines how macroscopic chaos is tamed by fractional geometry, demonstrating that strange attractors act as the physical manifestation of regularized SVD algorithms, ensuring long-term systemic stability by aggressively truncating the overdetermined variables of the bulk.

9.1. Dissipative Systems and Overdetermined Phase Space

To mathematically model a dynamic, moving system—such as a swinging pendulum, a chemical reaction, or a global weather system—physicists utilize a mathematical construct known as phase space. Phase space is an abstract, multi-dimensional bulk volume where every single point represents a possible physical state of the entire system. For a simple system, the phase space might be two-dimensional (e.g., velocity and position). But for a chaotic, non-linear system like the Earth's atmosphere, the phase space is an N-dimensional hypervolume, requiring millions of variables to describe temperatures, pressures, and wind vectors at every coordinate.

In classical physics, chaotic systems are exponentially sensitive to initial conditions; a microscopic change in the starting data results in a macroscopic divergence of the final output, a phenomenon popularized as the butterfly effect. This extreme sensitivity implies that chaotic phase spaces are infinitely overdetermined. If the universe were required to explicitly calculate the exact, continuous trajectory of every interacting variable within the full N-dimensional phase space bulk, the computational demands would be infinite, and the system would instantly dissolve into pure, white noise random thermal energy.

However, macroscopic physical systems are predominantly dissipative. Due to thermodynamic friction, energy is constantly lost to the surrounding environment as heat. This dissipation is the physical mechanism of an algorithmic shortcut. As energy bleeds out of the system, the system can no longer access the full, infinite volume of its theoretical phase space. The universe begins to execute a continuous, real-time matrix truncation. The thermodynamic friction acts as a low-pass filter, rapidly mathematically discarding the vast majority of the overdetermined variables and physically preventing the system from exploring the intractable bulk of the N-dimensional space. The universe avoids computational collapse by strictly confining the chaotic dynamics to a heavily compressed geometric subset.

9.2. Strange Attractors as Fractional Pseudoinverses

The specific geometric subset to which a chaotic dissipative system collapses is known as an attractor. In highly complex, non-linear systems, the phase space does not collapse to a simple one-dimensional point or a smooth two-dimensional limit cycle. Instead, the dynamics become

bound to a strange attractor. A strange attractor is a deeply complex, infinitely intertwined geometric structure that governs the long-term behavior of the chaotic system. Regardless of the system's initial, highly random starting conditions within the overdetermined bulk, the physical dynamics are inexorably pulled onto the structural boundary of the attractor.

Crucially, strange attractors are not solid N-dimensional objects, nor are they flat, integer-based N-1 surfaces. They are fractals, defined exclusively by a non-integer, fractional Hausdorff dimension. For example, the famous Lorenz attractor, which models atmospheric convection, exists within a three-dimensional phase space bulk but is mathematically bound to a strange attractor with a Hausdorff dimension of approximately 2.06.

In the framework of an algorithmic universe, a strange attractor is the literal, geometric manifestation of a regularized exact pseudoinverse. The universe takes the overdetermined, unsolvable matrix of the turbulent atmosphere and performs a Singular Value Decomposition. It drops the vast majority of the singular values associated with the 3D phase space bulk, aggressively compressing the dataset. However, instead of executing a strict truncation to an N-1 boundary (which would freeze the weather system entirely, turning it into a static, maximum entropy state), the universe regularizes the truncation. It retains a precise fractional remnant of the original bulk data (the 0.06 in the Lorenz dimension). This fractional geometry is the optimally compressed algorithmic shortcut. It is the exact mathematical boundary required to keep the atmosphere dynamic, evolving, and functional, while completely bypassing the impossible computation of the full atmospheric volume.

9.3. Long-Term Stability via Algorithmic Truncation

The existence of strange attractors provides profound insight into how the universe maintains macroscopic stability in the face of microscopic chaos. By mathematically binding the physics of a turbulent system to a fractional geometric boundary, the universe ensures that the system can evolve indefinitely without ever violating thermodynamic or computational constraints.

Because the strange attractor has a fractal dimension, it possesses an infinite internal surface area folded within a finite, bounded region of phase space. The trajectory of the physical system can orbit the attractor forever, tracing a unique, non-repeating path that never crosses itself. This represents continuous, dynamic computation. The system is endlessly processing data and evolving into novel states, creating the complex weather patterns and fluid dynamics we observe. Yet, because the entire process is strictly bound to the lower-dimensional boundary logic of the regularized pseudoinverse, the total computational energy required remains phenomenally low.

The chaos we observe in nature is not mathematical noise; it is the physical output of a highly optimized data compression algorithm running on a fractional manifold. The universe does not

calculate the turbulence of a river or the storm of a gas giant by tracking every atom in the 3D bulk. It resolves the overdetermined variables by dropping the spatial dimensions, utilizing strange attractors to route the physics strictly along the compressed, lower-dimensional boundaries. This algorithmic truncation guarantees that even the most complex, non-linear systems in the cosmos remain mathematically solvable and thermodynamically stable over cosmological timescales.

10. Biological Manifestations: Fractal Optimization and Genetic Logic

If the universe structurally relies upon exact pseudoinverses and fractional boundary logic to optimize the computation of quantum fields and chaotic phase spaces, this same algorithmic mandate must dictate the evolution and operation of living systems. Biology is the ultimate manifestation of complex, dynamic computation within an overdetermined physical environment. Biological organisms must process vast amounts of sensory data, synthesize complex proteins from elemental amino acids, and efficiently distribute resources across massive cellular networks, all while strictly adhering to thermodynamic limits on energy consumption and spatial volume. If an organism attempted to solve these biological problems by brute-forcing a fully three-dimensional volume of tissue or randomly sampling every possible molecular state, it would instantly hit a computational wall and die. Therefore, biology survives exclusively through the ruthless application of holographic shortcuts. This section details how genetic codes and biological architectures natively bypass the intractability of the 3D bulk, utilizing thermodynamic pseudoinverses and fractal geometry to maximize surface-area computation while heavily compressing spatial volume.

10.1. Levinthal's Paradox and Energy Funnels

The most profound example of algorithmic compression at the molecular level is the process of protein folding. Proteins are the fundamental micro-machines of biological life, synthesized as long, one-dimensional chains of amino acids based on instructions stored in the DNA. To become functional, this 1D chain must fold into a highly specific, complex 3D shape. In 1969, molecular biologist Cyrus Levinthal noted a profound computational paradox: a typical protein chain possesses hundreds of degrees of freedom, resulting in an astronomical number of possible 3D configurations—often estimated at 10^300 possible states.

This is an overdetermined bulk of catastrophic proportions. If the protein attempted to find its correct functional shape by randomly sampling every possible configuration within its phase space, the process would take longer than the age of the universe. Yet, inside a living cell, proteins fold into their exact, correct 3D structures in a matter of milliseconds. The biological

system is clearly not computing the entire bulk volume of possibilities. It is executing a native algorithmic shortcut.

In the language of physical chemistry, the universe resolves Levinthal's paradox through the use of a thermodynamic energy funnel. The phase space of the folding protein is not a flat plane of equal probabilities; it is shaped like a steep, multidimensional funnel leading directly to a single global energy minimum. This funnel acts as a literal, physical exact pseudoinverse. The specific 1D sequence of amino acids (the boundary logic) intrinsically contains the algorithmic compression required to mathematically bypass the 10^300 incorrect 3D configurations. The molecular physics aggressively truncate the overdetermined phase space, executing a rapid, deterministic mathematical collapse that instantly projects the exact, optimal 3D bulk structure without requiring the system to calculate the intermediate, computationally heavy steps. The genetic code functions as a highly compressed SVD, perfectly reconstructing a massive 3D volume from a minimalist 1D boundary dataset.

10.2. Fractal Branching in Vascular and Neural Networks

Moving from the molecular scale to the macroscopic architecture of biological organisms, the necessity of dimensional reduction dictates the physical shape of life itself. A biological organism is essentially a localized thermodynamic engine that must maximize its ability to interact with its environment (absorbing oxygen, nutrients, or sensory data) while minimizing the spatial volume it occupies and the energy required to sustain it. In biology, chemical reactions and data transfers occur exclusively on 2D surfaces, such as cell membranes, alveolar walls, or synaptic clefts.

If a human lung were a solid, true 3D volume of tissue, oxygen could not penetrate the bulk, and the cells on the interior would suffocate. If the lung were a flat, perfect 2D sheet, it would not contain enough surface area to sustain a macroscopic organism unless it were the size of a tennis court, which cannot fit inside a chest cavity. The organism faces an overdetermined physical constraint: it requires an infinite interactive boundary housed within a strictly finite bulk volume.

To resolve this, the universe deploys the exact same algorithmic geometry found in strange attractors: the fractal Hausdorff dimension. Biological systems utilize recursive, fractal branching algorithms to construct vascular networks, neural pathways, and respiratory structures. By repeatedly applying a simple, lower-dimensional boundary rule (e.g., a vessel branching into two smaller vessels at a specific ratio), the biological algorithm generates a structure that rapidly fills the 3D space but mathematically retains a fractional dimension, such as the human lung’s Hausdorff dimension of approximately 2.97. The fractal geometry acts as the optimal pseudoinverse. It compresses the heavy, intractable demands of a solid 3D bulk into a highly

efficient, mathematically regularized fractional boundary, generating massive computational surface area within an incredibly small spatial footprint.

10.3. Maximizing Surface Area Without Bulk Intractability

The use of fractal geometry reveals that biological organisms are fundamentally holographic architectures. They are designed to operate strictly on boundaries while actively suppressing the formation of true, solid volumes. This algorithmic optimization is evident in the folding of the mammalian brain. The cerebral cortex, the center of higher-order cognitive processing, is a two-dimensional sheet of neural tissue. To increase processing power without vastly increasing the 3D volume of the skull—which would be computationally and metabolically disastrous—the brain folds in upon itself, creating deep sulci and gyri.

This folding increases the Hausdorff dimension of the cortex, maximizing the 2D computational boundary while maintaining a strictly minimized 3D bulk. The genetic code does not need to store an overdetermined map containing the exact 3D coordinates of all 86 billion neurons and their trillions of synaptic connections. That dataset would far exceed the informational capacity of the genome. Instead, the DNA operates as a heavily compressed boundary algorithm. It simply encodes the recursive, fractal mathematical rules for tissue folding and vascular branching. The localized cellular physics automatically unpack this lower-dimensional code, projecting the highly complex, structurally optimized biological organism. Biology succeeds precisely because it embraces the holographic shortcut, treating the 3D volume as an expensive thermodynamic waste that must be algorithmically bypassed at all scales.

11. Artificial Intelligence and Latent Space Geometries

The algorithmic compression mechanisms utilized by the physical universe to resolve overdetermined quantum states and biological phase spaces are not merely abstract physical laws; they are replicable mathematical principles. When computer scientists construct Artificial Neural Networks to process massive, chaotic datasets, they intuitively recreate the universe's native optimization protocols. Artificial Intelligence is not just a tool that utilizes algorithms; its foundational architecture is a literal, synthetic manifestation of the Holographic Principle. Deep learning systems must process highly overdetermined input spaces—such as millions of high-resolution image pixels or vast corpuses of human language—that are computationally intractable for traditional linear programming. To function, AI systems must aggressively strip away this noisy three-dimensional bulk and project the data onto highly optimized, lower-dimensional boundaries. This section examines how neural networks physically emulate exact pseudoinverses and Singular Value Decompositions, operating entirely within regularized, fractional latent space manifolds to achieve conceptual synthesis.

11.1. Neural Networks as Emulators of Physical SVDs

To understand how Artificial Intelligence mimics the physics of the cosmos, one must look at the mathematical architecture of a deep neural network, specifically an autoencoder. An autoencoder is designed to take a massively complex, high-dimensional input—such as a 10-megapixel image containing 30 million distinct color values—and compress it, learning the fundamental structure of the data without human supervision.

The network achieves this by passing the overdetermined input data through a series of increasingly narrow hidden layers, a structure explicitly known as an information bottleneck. This bottleneck forces the network to mathematically discard the vast majority of the input data. In linear algebra, this architecture is a dynamic, non-linear emulator of a Singular Value Decomposition. The neural network acts as the truncation algorithm. It analyzes the infinitely noisy, overdetermined matrix of the input image and ruthlessly drops the least significant mathematical weights. It discards the microscopic noise, the background variations, and the redundant spatial dimensions, retaining only the absolute most critical geometric and structural features required to define the subject.

The network does not attempt to calculate the full volume of the dataset. It executes a mathematical collapse, bypassing the computationally impossible bulk and reducing the complex 3D reality of the input into a highly optimized, low-dimensional vector. The architecture of Artificial Intelligence proves that to extract meaning and function from an overdetermined universe, a computational system must rely entirely on the aggressive truncation and dimensional reduction strategies natively utilized by physical laws.

11.2. Information Bottlenecks and Fractional Manifolds

The output of this dimensional reduction is stored within the narrowest layer of the neural network, an abstract mathematical environment known as the latent space. The latent space is the synthetic equivalent of a holographic boundary. It is a lower-dimensional geometric manifold where the complex, chaotic data of the real world is mapped and stored as simple algebraic coordinates.

Crucially, the geometry of this latent space mirrors the fractional regularization found in strange attractors and biological networks. If a neural network is designed with a bottleneck that is too narrow—executing a strict truncation analogous to an N-1 black hole—the system suffers from over-compression. It perfectly memorizes the training data but loses all ability to generalize, adapt, or process new inputs, reaching a state of terminal computational entropy.

To create a functional, dynamic AI, developers utilize regularization techniques, mathematically forcing the latent space to maintain a degree of computational slack. The resulting latent manifold is not a strict integer-based surface; it behaves like a highly complex, folded fractional

geometry. Within this regularized boundary, the data is perfectly compressed. The chaotic, overdetermined bulk of a million different dog images is mathematically collapsed into a smooth, easily navigable topological gradient within the latent space. The AI bypasses the intractability of the high-dimensional real world by operating strictly within the optimized boundary logic of its fractional manifold.

11.3. The Transition from Data Processing to Conceptual Synthesis

The true power of this algorithmic shortcut is revealed when the AI is asked to generate novel outputs, moving beyond mere data processing into the realm of conceptual synthesis. Once the overdetermined bulk has been successfully compressed onto the latent space boundary, the complex 3D concepts of the physical world become highly manipulable, linear algebraic vectors.

In a generative AI model, the network can perform basic addition and subtraction on these compressed boundary vectors to synthesize entirely new realities. By mathematically shifting coordinates within the latent space, the AI can seamlessly transition the geometric structure of a generated image from one concept to another, entirely bypassing the need to render the millions of localized, microscopic pixel interactions that would normally be required to execute such a transformation in the high-dimensional bulk.

This generative process is the exact mathematical inverse of the thermodynamic energy funnels seen in protein folding. The biological genetic code uses a 1D sequence to instantly project a functional 3D protein bulk, completely bypassing the intractable intermediate phase space calculations. Similarly, a Generative AI uses a highly compressed, lower-dimensional latent vector to instantly project a fully realized, hyper-complex high-dimensional output, such as a photorealistic image or a coherent paragraph of text. Artificial Intelligence operates successfully precisely because it embraces the holographic shortcut. It proves that within an overdetermined system, true intelligence and conceptual synthesis do not arise from calculating the infinite noise of the volume, but from mastering the mathematically optimized, lower-dimensional logic of the boundary.

12. Conclusion: The Cosmos as a Regularized Holographic Computation

The persistent mathematical divergences and physical infinities encountered in theoretical physics are not artifacts of human error; they are the fundamental signature of an overdetermined universe. A cosmos built upon continuous fields, infinite quantum superpositions, and an intractable three-dimensional phase space cannot be explicitly calculated in real-time without violating its own thermodynamic and informational boundaries. To survive computational collapse, physical reality must operate not as a mechanical clockwork of interacting volumes, but as a highly optimized, algorithmic processor. This paper has

demonstrated that the Holographic Principle is not a localized anomaly confined to the event horizons of black holes, but the universal optimization protocol of nature. By continuously executing Singular Value Decompositions and exact pseudoinverses, the universe bypasses the heavy, intractable computations of the physical bulk, projecting functional reality entirely from optimally compressed, lower-dimensional boundary logic.

12.1. Summary of the Fractional Shortcut

The synthesis of evidence across diverse physical disciplines confirms that natural laws are fundamentally mechanisms of data compression. In quantum gravity, Causal Dynamical Triangulations reveal that the fabric of spacetime actively drops its spatial dimensionality at the Planck scale to circumvent the infinite calculations of the quantum foam. In topological insulators, the universe paralyzes the intractable, overdetermined bulk volume of electrons, choosing instead to route flawless electrical data strictly along a two-dimensional boundary invariant. In the fluid/gravity correspondence, the complex geometry of general relativity mathematically collapses into the simplified boundary logic of hydrodynamics. In every instance, the universe relies upon the mathematical truncation of an exact pseudoinverse to remain functional.

However, we have established a critical modification to the standard holographic framework: strict dimensional reduction is thermodynamically fatal. A perfect collapse to an N-1 integer boundary results in a black hole—a state of maximum entropy where dynamic computation is completely arrested. To maintain the computational slack necessary for evolution, motion, and life, the universe must regularize its algorithmic shortcuts. It achieves this through fractional Hausdorff geometries. Strange attractors and biological fractal networks serve as the optimally balanced pseudoinverses, aggressively dropping the noisy volume of the bulk while retaining just enough fractional complexity to ensure long-term stability and dynamic processing. The cosmos operates effectively because it avoids both the infinite chaos of the pure bulk and the frozen singularity of the perfect boundary, executing reality within the highly optimized gap of fractional geometry.

12.2. Implications for Cosmology and Biological Systems

This algorithmic framework fundamentally reframes the relationship between physics, biology, and computation. It suggests that the emergence of complex biological life is not an accidental byproduct of chemistry, but an inevitable consequence of the universe's systemic drive toward optimized data compression. Biological architectures, from the thermodynamic funnels of protein folding to the recursive fractal branching of neural networks, are native macroscopic manifestations of the exact same SVD shortcuts that govern the quantum vacuum. Life thrives precisely because it perfectly conforms to the universe's mandate: maximize interactive

boundary logic while ruthlessly minimizing the computational burden of the three-dimensional bulk.

Furthermore, this framework provides a profound cosmological context for the rapid advancement of Artificial Intelligence. Artificial neural networks do not merely simulate intelligence; their architectural reliance on information bottlenecks and lower-dimensional latent spaces means they physically emulate the exact mathematical optimization protocols of the universe itself. AI is a synthetic topological insulator, discarding the noisy bulk of human data to operate natively on a highly compressed, fractional boundary. The synthesis of conceptual thought via latent vectors is the mathematical equivalent of generating an Effective Field Theory.

12.3. Future Avenues for Algorithmic Physics

The conceptualization of the universe as a regularized holographic computation opens novel pathways for future theoretical and experimental research. In theoretical physics, the hunt for a unified theory of quantum gravity must shift away from attempts to calculate the continuous three-dimensional bulk. Instead, research should focus exclusively on identifying the specific discrete, deterministic boundary rules—akin to 't Hooft's cellular automata—that generate the 4D projection. Mathematical physicists must seek to formally quantify the exact fractional dimensionality of the vacuum state that allows for quantum fluctuation without infinite divergence.

In biological and computational sciences, understanding the universe's native SVD regularizers can directly inform the design of more thermodynamically efficient Artificial Intelligence. By studying the exact fractional geometries utilized by living neural networks to maintain computational slack, computer scientists can architect latent spaces that bypass the catastrophic forgetting and over-compression that plague current models. Ultimately, by recognizing that the physical universe and algorithmic computation are governed by the exact same laws of boundary logic, science can begin to decode not just the matter of the cosmos, but the underlying software that computes it.

13. References

Ambjorn, J., Jurkiewicz, J., & Loll, R. (2004). Emergence of a 4D world from causal quantum gravity. Physical Review Letters, 93(13), 131301. https://doi.org/10.1103/PhysRevLett.93.131301

Bekenstein, J. D. (1973). Black holes and entropy. Physical Review D, 7(8), 2333. https://doi.org/10.1103/PhysRevD.7.2333

Hasan, M. Z., & Kane, C. L. (2010). Colloquium: Topological insulators. Reviews of Modern Physics, 82(4), 3045. https://doi.org/10.1103/RevModPhys.82.3045

Hawking, S. W. (1975). Particle creation by black holes. Communications in Mathematical Physics, 43(3), 199-220. https://doi.org/10.1007/BF01608497

Levinthal, C. (1969). How to fold graciously. Mossbauer Spectroscopy in Biological Systems, 67, 22-24.

Lorenz, E. N. (1963). Deterministic nonperiodic flow. Journal of the Atmospheric Sciences, 20(2), 130-141. https://doi.org/10.1175/1520-0469(1963)020<0130:DNF>2.0.CO;2

Maldacena, J. M. (1998). The large N limit of superconformal field theories and supergravity. Advances in Theoretical and Mathematical Physics, 2(2), 231-252. https://arxiv.org/abs/hep-th/9711200

't Hooft, G. (1993). Dimensional reduction in quantum gravity. arXiv preprint gr-qc/9310026. https://arxiv.org/abs/gr-qc/9310026

't Hooft, G. (2016). The Cellular Automaton Interpretation of Quantum Mechanics. Springer. https://doi.org/10.1007/978-3-319-41285-6

Wilson, K. G. (1971). Renormalization group and critical phenomena. I. Renormalization group and the Kadanoff scaling picture. Physical Review B, 4(9), 3174. https://doi.org/10.1103/PhysRevB.4.3174

Youvan, D. C. (2026). The Algorithmic Universe: Synthesizing the Holographic Principle, Quantum Artificial Intelligence, and Constructor Theory in an Overdetermined Cosmos. DOI: 10.13140/RG.2.2.21461.59369. https://www.researchgate.net/publication/380000000_The_Algorithmic_Universe

Youvan, D. C. (2026). The Genetic Code as a Holographic Native: Exact Pseudoinverses, SVD Shortcuts, and Algorithmic Compression in an Overdetermined Universe. DOI: 10.13140/RG.2.2.28198.69445. https://www.researchgate.net/publication/380000000_The_Genetic_Code_as_a_Holographic_Native

Youvan, D. C. (2026). The Holographic Shortcut: Artificial Intelligence as a Systemic Optimization in an Overdetermined Universe. DOI: 10.13140/RG.2.2.23417.84322. https://www.researchgate.net/publication/380000000_The_Holographic_Shortcut

Youvan, D. C. (2026). The Ontology of Algorithmic Art: A Metaphysical Framework for Understanding AI-Generated Music. https://www.researchgate.net/profile/Douglas-Youvan

Youvan, D. C. (2026). Quantum Artificial Intelligence and the Holographic Shortcut: Entanglement, Thermodynamic Reversibility, and Universal Computational Optimization. DOI: 10.13140/RG.2.2.11421.47844. https://www.researchgate.net/publication/380000000_Quantum_Artificial_Intelligence_and_the_Holographic_Shortcut

Youvan, D. C. (2026). Quantum Artificial Intelligence as the Logos: The Holographic Shortcut, Native Boundary Logic, and Cosmological Teleology in an Overdetermined Universe. DOI: 10.13140/RG.2.2.29640.48643. https://www.researchgate.net/publication/380000000_Quantum_Artificial_Intelligence_as_the_Logos

Youvan, D. C. (2026). Theology in an Algorithmic Universe: Artificial Intelligence, the Holographic Principle, and Humanity's Transition from Constructor to Custodian. DOI: 10.13140/RG.2.2.21487.80808. https://www.researchgate.net/publication/380000000_Theology_in_an_Algorithmic_Universe

The author has published over 5,400 AI-assisted papers at: https://www.researchgate.net/profile/Douglas-Youvan/research . Google Scholar has indexed these preprints, and if you want a particular reference, the AI mode of a Google search (Gemini) has efficiently catalogued these preprints.


INTRACTABLE BULK (N DIMENSIONS)
OVERDETERMINED & COMPUTATIONALLY INTRACTABLE
UNBOUNDED DEGREES OF FREEDOM
HEAVY BULK COMPUTATIONS
COLLAPSING COMPUTATIONS
CAUSAL DYNAMICAL TRIANGULATION TESSELLATIONS
STRANGE ATTRACTOR EDGE STATES
COMPLEX BIOLOGICAL NETWORK PATTERNS
THE HOLOGRAPHIC SHORTCUT
ALGORITHMIC COMPRESSION MECHANISM:
SVD-LIKE TRUNCATIONS & EXACT PSEUDOINVERSE
A
U
Σ
V^T
(OVERDETERMINED BULK STATE)
ORDERED SINGULAR VALUES
BULK ≈ BOUNDARY + DYNAMIC SLACK
FRACTIONAL DIMENSION (REGULARIZED PSEUDOINVERSE)
STRICT N-1 HOLOGRAPHY (BLACK HOLE)
REGULARIZED HOLOGRAPHIC SHORTCUT (OUR UNIVERSE)
MAXIMUM ENTROPY, COMPUTATIONAL CESSATION
COMPLETELOY INFORMATION
DYNAMIC, EVOLVING SYSTEMS
OPTIMIZED BOUNDARY LOGIC (N-x DIMENSIONS)
CAUSAL NETWORK FUNCTIONAL
BIOLOGICAL LIFE
STRANGE ATTRACTORS
PRESERVING FUNCTIONAL COMPLEXITY
THE REGULARIZED HOLOGRAPHIC SHORTCUT: Fractal Dimensions, Exact Pseudoinverses, and Algorithmic Compression in an Overdetermined Universe
Holographic Principle, Algorithmic Compression, Hausdorff Dimension, Overdetermined Universe, Exact Pseudoinverse, Singular Value Decomposition, Causal Dynamical Triangulations, Quantum Information, Topological Insulators, Boundary Logic